

# FESHM 10120: POWERED INDUSTRIAL TRUCKS (PIT's)

# **Revision History**

Author	Description of Change	Revision Date
Angela Aparicio	Added reference to new Lift Plan FESHM	September 2020
Marcel Borcean	chapter.	
Brian Niesman	Updated refresher training requirements (removed	
	retraining every three years) and added back in the	
	Lead Evaluator Program and requirements.	
	Added technical appendix that addresses material	
	lifts.	
Mike Bonkalski	Added language requiring D/S approval of	November 2018
	inspection work orders	
John P. Cassidy	Removed the Lead Evaluator Program and	July 2013
	updated the Fermilab Forklift Operator Evaluator	
	Form	
Thomas Page	Added FESHM Chapter template; added 5 <sup>th</sup> bullet	February 2012
	under "Prohibited and Restricted Work Practices"	
	dealing with radios, headsets and audio devices.	



# TABLE OF CONTENTS

1.0	INT	RODUCTION AND SCOPE	
2.0	DEF	INITIONS	3
3.0	RES	PONSIBILITIES	5
	3.1	Division/Section/Project (D/S/P) Heads	4
	3.2	Facility Engineering Services Section	5
	3.3	The Qualified Operator	
	3.4	Mechanical Safety Subcommittee	6
	3.5	ES&H Section	6
	3.6	WDRS Professional Development and Learning	6
4.0	PRC	OGRAM DESCRIPTION	<i>6</i>
5.0	TRA	AINING AND QUALIFICATIONS	7
	5.1	Employee	
	<b>5.2</b>	Non-Employee	
	5.3	Non-EmployeeQualification TrainingCertification Records	
	<b>5.4</b>	Certification Records	8
	5.5	Remedial Training	
	<b>5.6</b>	Evaluator Program.	8
6.0	INS	PECTIONS	
	6.1	Daily Pre-use Inspections	8
	<b>6.2</b>	Preventative Maintenance Inspection	8
	6.3	Attachment Periodic Inspection	9
<b>7.0</b>	PIT	ATTACHMENTS	
	<b>7.1</b>	Scope	
	7.2	Engineering Note Procedure	9
	7.3	Attachment/PIT Identification	
	<b>7.4</b>	Attachment Load Test	
	7.5	Attachment Inspections	
8.0		RATIONS	
	8.1	Installation of Operator Restraint Systems (Seat Belts)	
	8.2	Use of Seat Belts	
	8.3	Prohibited and Restricted Work Practices	
	8.4	Procurement or Significant Modification	
	8.5	PIT Nameplate(s), Markings, and Operator's Manuals	12
	8.6	Repair	
	8.7	Acceptance Testing	
	8.8	Control of Access to Powered Industrial Trucks	
	8.9	Damage to Powered Industrial Trucks	
9.0		EVENTATIVE MAINTENANCE AND REPAIR PROGRAM	
10.0		ANING OF POWERED INDUSTRIAL TRUCKS	
11.0		VING POWERED INDUSTRIAL TRUCKS ON FERMILAB MAIN ROADS	
12.0		ERENCES	
13.0		CHNICAL APPENDICES	
	13.1	Material Lifts	15



# FESHM 10120 September 2020

13.1.1.	Training Requirements	15
	Operation Expectations	
13.1.3.	Inspection, Maintenance, and Repair Requirements	15
	Images of Material Lifts	



#### 1.0 INTRODUCTION AND SCOPE

3 4

5

6 7

8

Forklifts, tow-motors and other powered material handling equipment are used throughout Fermilab to perform a variety of functions. Equipment of this type is often grouped together under the title "powered industrial trucks." The use of powered industrial trucks creates a potential for serious injury and property loss. This chapter contains procedures to ensure that the operation, inspection, and maintenance of powered industrial trucks are conducted in a safe manner and that operators are qualified to operate the truck safely.

9 10 11

12

13

15

16 17

18

19

20

2122

This chapter applies to any powered industrial trucks (commonly referred to as fork trucks) used at Fermilab and powered industrial trucks funded by DOE and managed by Fermi Research Alliance (FRA).

14 Examples include:

- Sit Down Rider, Counter-Balanced Truck (Solid and Pneumatic Tires)
- Narrow Aisle Trucks (Solid Tires)
- Order Picker Trucks
- Pallet Jacks/Hand Trucks or Rider Pallet Trucks (Solid Tires)
- Internal Combustion Engine Trucks (Solid or pneumatic tires)
- Electric and Internal Combustion Engines Tractors (Solid and pneumatic Tires)
- Rough Terrain Forklift Trucks (Pneumatic Tires)
  - Magnet Movers
  - Walk-Behinds with Elevating Mechanisms

232425

26

Excluded from the scope of this chapter are construction, grounds keeping, and farm equipment such as wheel loaders, mobile cranes, bulldozers, crawler loaders, snowplows, hay bale loaders and tree removal equipment. (Truck designations can be found in OSHA 29 CFR 1910.178(b))

272829

## 2.0 **DEFINITIONS**

30 31

32 33

34

35

36

<u>Attachments</u> – A device added to the PIT, either designed and built by the user, purchased from a commercial supplier, or provided by the manufacturer of the PIT, other than the conventional forks, and intended to carry the load. Examples include non-conventional forks, fork extensions, extension booms, non-conventional or special or unique load handlers, rotating devices, side shifters, load stabilizers and jib crane booms. A removable attachment is an attachment that can be mounted on the forks, or in place of the forks on the carriage, by means of such conventional fasteners as bolts, pins, etc., and does not require the disassembly of any other portion of the lifting system to install or remove.

37 38 39

40

**Bulldozing** - The action that results when an operator would have one pallet on the forks, then use the load to push other pallets ahead of the truck. Bulldozing may also involve having two pallets arranged vertically on the forks plus pushing up to six pallets (single or double stacked) out in front of the truck.

41 42 43

44

#### Critical Lift -

A lift that meets any of the following:



FESHM 10120 September 2020

- 45 • Loss of control of the item being lifted would likely result in the declaration of an emergency.
  - The load or item is unique and, if damaged, would be irreplaceable or not repairable and is vital to a system, facility or project operation.
  - The cost to replace or repair the <u>load item damaged would have negative impact on facility</u>, organizational, or DOE budgets to the extent that it would affect program commitments.
  - Lifts made with more than one forklift. NOTE: See full definition and lift planning requirements in FESHM 10200 – Lift Plans. If your lift meets any of the above, you must develop a written lift plan.

53 54

**‡** Fermilab

**Electric pallet truck** - An electrically powered pallet truck.

55 56

46 47

48

49

50 51

52

Employee - For the purpose of this chapter includes Fermilab direct hired personnel, term and temporary employees and contract technicians.

57 58 59

Forklift Operator Evaluator- a qualified person who has been nominated by the D/S/P and so designated by ES&H.

60 61 62

63

Forklift truck - A self-loading truck equipped with load carriage and forks for transporting and tiering loads. There are eleven truck designations that are applicable: D, DS, DY, E, ES, EE, EX, G, GS, LP and LPS.

64 65 66

Free Rigging – The direct attachment to or placement of rigging equipment (slings, shackles, rings, etc.) onto the forks of a PIT for a below-the-forks lift. This type of lift does not use an approved lifting attachment.

68 69 70

71

72

67

Magnet Movers - A vehicle or tractor-trailer combination, which is equipped for the purpose of lifting, moving and setting beam line magnets or other such large heavy objects in the beam line enclosures. The trailer may be pulled or pushed by the tractor. Lift tables on wheels are excluded from this definition unless they are towed by a tractor while carrying a load.

73 74 75

Material Lift – A device used to lift or move material. Examples include load lifters, manual material lifts and electro-hydraulic material lifts. See Technical Appendix.

76 77 78

Non-employee - This category includes subcontractor employees, users, experimenters, graduate students, experimental collaborators, visiting or guest scientists and engineers, and DOE employees.

79 80 81

Operator Evaluator – Individual assigned by the division, section or project to evaluate the performance phase of an operator's training.

82 83 84

85

Pallet truck - A self-loading, low lift truck equipped with wheeled forks of dimensions to go between the top and bottom boards of a double-faced pallet and having wheels capable of lowering into spaces between the bottom boards so as to raise the pallet off the floor for transporting.

86 87 88

89

Powered Industrial Trucks (PIT) - Equipment designed to move, lift, carry, stack, push, and pull a load. This includes forklifts, electric pallet movers, walk-behinds with elevating mechanisms, and Fermilab ES&H Manual 10120-4



FESHM 10120 September 2020

magnet movers. PIT's may be electrically powered, gasoline-powered, LP- gas-powered, or diesel. See ASME B56.1 for information on all the types of truck configurations.

91 92 93

90

<u>Qualified Operator</u> - An individual deemed competent by management after successfully completing the Training and Qualification requirements of this chapter.

94 95 96

97

<u>Qualified Person</u> - A person who, by possession of a recognized degree in an applicable field or a certificate of professional standing, or who by extensive knowledge, training, and experience, has successfully demonstrated the ability to solve or resolve problems related to the subject matter or work.

98 99 100

**Split-forking** - The action that results when the operator moves two palletized loads by inserting one fork in each pallet.

101 102 103

104

105106

107

<u>Tractors</u> - An industrial tractor, tugger or locomotive designed exclusively for towing a trailer or other load on wheels at speeds of 5 mph or less. Generically used brand names jeep, towmotor and donkey are often used to describe these vehicles. The tractor may be hitched to a load at either end, if two appropriate hitches are provided by the manufacturer or user. A locomotive may have rail cars hitched at both ends at once. Farm tractors in agricultural service, lawn mowing tractors, and licensed road-going tractors are excluded from this definition.

108 109 110

#### 3.0 RESPONSIBILITIES

111112

A responsibilities section is included only if there are any responsibilities which are unusual, i.e., different than those indicated in <u>FESHM 1010</u>.

113114115

### 3.1 Division/Section/Project (D/S/P) Heads

116 117

- Implement the requirements associated with the use of powered industrial trucks.
  Ensure powered industrial truck operators are trained and qualified to perform assigned duties.
- Nominate a qualified individual to serve as the D/S/P forklift operator evaluator.

119 120 Ensure that inspections are performed and there is D/S/P acceptance of maintenance work orders.

120 • Arran

Arrange for the review of attachment Engineering Notes by qualified persons or committee.
Keep an open file of all Engineering Notes for attachments used in their

123124

125

122

3.2 Facility Engineering Services Section

division/section/project.

126127

• Responsible for the maintenance and maintenance records of all powered industrial trucks and attachments owned and operated by Fermilab.

128

• Distribute inspection, testing and maintenance reports to the D/S/P head upon request.

129 130

131

## 3.3 The Qualified Operator

The Qualified Operator is responsible for:



FESHM 10120 September 2020

- Recognizing if a lift is within their capability based on previous experience or training.

  If level of training or experience is insufficient to assure a safe lift, the operator must state this to their supervisor and not proceed with the task.
  - Following best practices to assure a safe lift.
  - Identify hazards and mitigations associated with the hazard, including appropriate personal protective equipment (PPE).
  - Conducting a pre-use inspection (see Section 6.1). If a problem or situation appears to be unsafe, or if the forklift is not operating properly, the Qualified Operator should contact FESS Fleet Management to have a pre-lift inspection/repair completed by a subcontractor.
  - Performing the lift in accordance with any formal hazard analysis (HA). (See <u>FESHM Chapter 2060</u>) or written lift plan (See <u>FESHM Chapter 10200</u>), if one exists.

#### 3.4 Mechanical Safety Subcommittee

The Mechanical Safety Subcommittee will serve in a consulting capacity to ES&H and D/S/P in all matters concerning the inspection, maintenance and operation of powered industrial trucks.

#### 3.5 ES&H Section

135

136

137

138139

140

141

142

143

144145

146

147

148149

150

151

152153154

155156157

158159

160

161162

163

164

165

166 167

168

169

170

171

172

173174175

- Coordinate with training providers to obtain qualified trainers.
- Maintain the lesson plan and training materials.
- Conduct evaluations of designated evaluators.

## 3.6 WDRS Professional Development and Learning

• Maintain documentation of all classroom training, on-the-job training and evaluations.

## 4.0 PROGRAM DESCRIPTION

The operation, inspection, maintenance, and testing of powered industrial trucks and associated equipment shall be in accordance with mandatory standards. For powered industrial trucks, these standards are:

- 29 CFR 1910, Subpart N, OSHA General Industry Standards, Materials Handling and Storage
- 29 CFR 1926.602 (c), (d) Material Handling Equipment
- ASME B56.1 Safety Standard for Low Lift and High Lift Trucks

Requirements applicable to all powered industrial trucks are highlighted in this Chapter. Other requirements may exist that are specific to a certain style, size, or use of a particular piece or type of equipment. The appropriate standards are to be consulted by those assigned responsibility for powered industrial truck operations to identify specific requirements, recommendations, and guidance for the safe operation and use of this equipment. Assistance with the implementation of these standards can be provided by the Division Safety Officer (DSO) or the ES&H Section.



## 5.0 TRAINING AND QUALIFICATIONS

This section is used for other than "Program" chapters. The last statement in the procedures section refers to the availability of Technical Appendices.

## 5.1 Employee

Operator training and qualification shall include those requirements identified in regulatory standards (29 CFR 1910.178). In addition, the prospective powered industrial truck operator must hold a valid driver's license from any of the fifty states.

## 5.2 Non-Employee

Qualification of non-employees requesting to operate powered industrial trucks owned by Fermilab shall be made by a qualified PIT Operator Evaluator. In all cases, where previous training and experience is used as the basis for accepting qualification, such training and experience shall be certified in writing by the employer as meeting the requirements of 29 CFR 1910.178. When there are special hazards/features associated with a particular piece of equipment, e.g., unfamiliar controls or modifications to the original design, a qualified division/section/project Operator Evaluator will determine whether the operator(s) (including professional contract operators and contract riggers) shall receive documented job instructional training from Fermilab supervisory personnel. In addition, the prospective powered industrial truck operator must hold a valid driver's license from any of the fifty states, or an international driver's license if a temporary/short-term visitor/user.

In the case of subcontractor personnel follow the procedures under the section "Loaning of Powered Industrial Trucks."

#### 5.3 Qualification Training

Qualification training shall include both a classroom and a performance/evaluation phase. At a minimum, the training shall meet the learning objectives specified in Fermilab Training Course No. FN000014/Forklift Operator Training. Demonstration of the operator's abilities to perform all activities expected or anticipated for the job will be part of the qualification process during the performance phase.

The performance evaluation must be conducted in the environment similar to where the employee is expected to operate the PIT. Employees who operate powered industrial trucks in several locations throughout the Laboratory are required to be evaluated on one representative PIT that the employee is expected to operate.

Magnet Mover operators are to be evaluated in the tunnels and enclosures.

A designated division/section/project Operator Evaluator shall observe such demonstrations and document the performance results on the "Fermilab – Forklift Operator Evaluation Form" (see associated form). Documents reflecting successful demonstration of operator abilities shall be



FESHM 10120 September 2020

maintained in the TRAIN database. Operator qualification is for a period of three (3) years unless withdrawn within that period by the operator's supervisor. Re-qualification will include a performance evaluation, documented on the "Fermilab – Forklift Operator Evaluation Form." Refresher training will not be required, but all operators are expected to complete evaluations every three years.

## **5.4** Certification Records

Training records certifying operator qualification shall include the name of the trainee, date of training, and the signature of the trainer or evaluator.

## 5.5 Remedial Training

Remedial training will be provided to individuals who do not successfully pass the qualification course. The course instructor or Operator Evaluator will determine the level of remedial training required. Remedial training will be provided also to operators involved in an accident, a near-miss incident, or who are observed operating a forklift in an unsafe manner. The employee's supervisor in consultation with the DSO will determine the level of remedial training needed.

#### **5.6 Evaluator Program**

The ES&H Section will designate a Fermilab Lead Evaluator in writing. This Lead Evaluator will in turn conduct evaluations every three years of the designated division/section/project Operator Evaluators. The intent of this program is to standardize the manner and rigor in which evaluations are administered. The lead evaluator will submit evaluations to the ES&H Section. The evaluations will list the name, employee number, div/sec, the type of trucks the evaluator can conduct evaluations for, and a signature of the person evaluated.

# 6.0 INSPECTIONS

## **6.1 Daily Pre-use Inspections**

A safety inspection shall be completed for each powered industrial truck and any attachment prior to the start of each shift, or prior to the first use of the day for equipment not in continuous service. A qualified operator shall conduct the inspection, and preferably one that is familiar with the specific equipment. The inspector shall review the elements listed on the checklist provided for guidance at the end of this chapter. Daily pre-use inspections may be documented as a best practice.

Daily inspections are not required for equipment that is not in service. Prior to being placed back into service, the daily inspection shall be completed by a qualified operator.

## **6.2** Preventative Maintenance Inspection

A documented inspection shall occur at least every six months as part of the Preventative Maintenance and Repair program described in this chapter, managed by FESS.

Fermilab ES&H Manual 10120-8 WARNING: This manual is subject to change. The current version is maintained on the ES&H Section website. Rev. 09/2020



268

269 270

271

## 272 273

274

## 275 276

277 278

279 280

281 282

283 284

285 286

287 288

289 290

291 292

293 294 295

296 297 298

299

300 301 302

303

304

305

306 307 308

309

Fermilab ES&H Manual

**6.3** Attachment Periodic Inspection

The D/S/P must schedule a documented, annual inspection through FESS. Inspection frequency may be modified if specified in the engineering note, see Section 7.5.

#### 7.0 PIT ATTACHMENTS

# 7.1 Scope

All PIT attachments owned by Fermilab or by collaborating institutions and used at Fermilab or for DOE-funded work managed by FRA shall meet all requirements of this FESHM chapter.

PIT attachments provided and used by outside contractors in execution of their contract work are outside the scope of the following engineering note procedure but must adhere to the balance of this FESHM Chapter.

## 7.2 Engineering Note Procedure

- 1. Engineering Notes: An Engineering Note shall be prepared by a qualified person for all PIT attachments owned by Fermilab or by collaborating institutions and used at Fermilab whether purchased or fabricated at Fermilab or a collaborating institution.
  - (a) Engineering Notes for all attachments shall include:
    - Attachment unique identifier.
    - Identification of PIT(s) or class of PIT(s) for which it is designed.
    - Allowable operating parameters: load rating, operation envelope, etc.
    - Operating instructions, if required for safe operation.
    - Inspection frequency and criteria.
  - (b) Engineering Notes for attachments designed at Fermilab or other non-commercial institutions (such as Universities or other Laboratories) shall include design compliance calculations to verify that the attachment meets, as a minimum, the requirements of ASME B56.1 and 29 CFR 1910, as well as demonstrating a safety factor greater than or equal to 3 on yield strength for all load bearing components.
  - (c) Engineering Notes for attachments purchased from a commercial source engaged in the manufacturing of PIT attachments shall include any manufacturer's documentation (Certificate of Test, copies of the Operator's Manual, Inspections and Maintenance Instructions, etc.)
  - (d) Engineering Notes for all attachments that affect the capacity and safe operation of the PIT(s) for which they are designed shall include written approval from the PIT(s) manufacturer(s) or record of the PIT(s) manufacturer's negative or non-response to request for approval. A

10120-9





FESHM 10120 September 2020

310 negative or non-response from the manufacturer does not necessarily disqualify the 311 engineering note from approval.

312 313

314

(e) Engineering Notes for all attachments must specifically address the stability of the PIT/attachment/load combination as required by ASME B56.1 unless written approval from the PIT(s) manufacturer(s) has been obtained (see (d) above).

315 316 317

(f) Engineering Notes for all attachments must specifically address the strength of load bearing PIT components unless written approval from the PIT(s) manufacturer(s) has been obtained (see (d) above).

319 320 321

322

318

(g) Modifications to PIT attachments (whether designed at Fermilab or other non-commercial institutions such as Universities or other Laboratories or purchased from a commercial source engaged in the manufacturing of lifting fixtures) shall be documented in the Engineering Notes.

323 324

(h) Load tests shall be documented in the Engineering Note.

325 326 327

2. Review of Engineering Notes: All PIT attachment Engineering Notes shall be reviewed by a qualified person for compliance with the requirements of this chapter.

328 329 330

331

3. Amendment of Engineering Notes: All subsequent changes in usage that could affect the safety of personnel or the capability of the attachment performance shall require an amendment to the original Engineering Note. The amended note shall be reviewed the same as the original note.

332 333 334

335

336

4. Similar Attachments: Attachments that are manufactured or fabricated to meet previously engineered, fabricated and reviewed attachments need not have the full engineering analysis repeated. Documentation shall be provided by reference to an existing approved Engineering Note and the detailing of all differences. A load test shall still be required.

337 338 339

#### 7.3 Attachment/PIT Identification

340

341 1. All attachments will be assigned a unique identifying ID by responsible 342 division/section/project to facilitate periodic inspections.

343

344 2. All attachments shall display the ID, maximum elevation with the load laterally centered, the 345 attachment weight, and where applicable, the attachment load rating.

346

347 3. Removable attachments shall be labeled to list the PIT or class of PIT(s) for which the attachment 348 has been designed.

349

350 4. For attachments that affect the capacity or safe operation of the PIT(s) for which they are designed, capacity, operation, and maintenance instruction plates, tags, or decals on the PIT(s) shall be 351 352 modified accordingly.

353 354

5. Attachments shall be removed from service if the required markings are not legible.



#### 7.4 Attachment Load Test

1. All PIT attachments shall be acceptance load tested prior to initial use. The load rating should not be more than 80% of the maximum load utilized during the test. The test shall be documented in the Engineering Note including signature of the qualified person overseeing the test.

2. Specialized commercially manufactured PIT attachments which have certificates of test or existing devices which have documented evidence of having successfully passed a load test do not need to be re-load tested. Supporting documentation shall be included in the Engineering Note. The only deviation to this occurs when the attachment has been altered, repaired, or modified. In this case, a qualified person must be consulted and they may require further testing.

## 7.5 Attachment Inspections

All attachments used while operating a powered industrial truck must be inspected periodically and used in accordance with ASME B56.1 and the manufacturer's requirements and recommendations. Inspection frequency shall be determined by the engineer and/or user-based on the service. Minimum inspection criteria shall incorporate the items as noted in this chapter and ASME B56.1. At a minimum, each attachment will be inspected visually before each use. The D/S/P shall contact FESS Fleet Management to schedule the periodic inspection of attachments.

#### 8.0 OPERATIONS

Powered Industrial trucks shall only be used in the environment, atmospheres and surfaces for which they are designated by the manufacturer for use.

#### Note: See 29 CFR 1910.178(c)

# 8.1 Installation of Operator Restraint Systems (Seat Belts)

 All powered industrial trucks with seats shall be fitted with seatbelts. Those PIT's for which retrofit kits are not available are exempt from this requirement. Division/Section/Project Heads shall notify the ES&H Section of any powered industrial truck that cannot be retrofitted.

#### 8.2 Use of Seat Belts

Seat belt use is mandatory at all times when the operator is seated on the truck and the truck is equipped with seat belts. Notify the building manager if seatbelts were installed but are missing and tag the truck "Out of Service" until seat belts can be installed.

**Exception:** Magnet movers when used in tunnels and enclosures.





#### 8.3 Prohibited and Restricted Work Practices

The practice of split-forking is prohibited.

401

- 402
- 403 404 405
- 406 407 408
- 409 410 411
- 412 413
- 414 415
- 416 417

418 419

420 421

422 423

424 425 426

427

428 429 430

431

432

433

434 435

437 438

436

439

440 441

- The practice of bulldozing is prohibited without prior ES&H approval. Only stable or safely arranged loads shall be handled. Caution shall be exercised when handling off-center loads which cannot be centered.
- The use of a spinner knob on the steering wheel is not allowed except on stand-up rider trucks where steering is designed to be accomplished with one hand and a steering wheel is used or, if the powered industrial truck is equipped with an anti-kickback device on the steering mechanism. The operator must exercise caution when using a spinner knob to avoid over-controlling the vehicle that would cause the vehicle to tip over.
- Free rigging is prohibited unless specifically authorized in writing by the line manager and after a Job Hazard Analysis has been performed per FESHM 2060 - Work Planning and Hazard Analysis.
- Operators shall not wear radio headsets, carry or listen to audio devices such as radios and media players, wear headsets or use cellular phones or portable radios except for equipment issued by the Department for safety or communication.

# 8.4 Procurement or Significant Modification

Divisions/Sections/Projects wishing to purchase or modify existing PIT's shall prepare the technical specifications in consultation with FESS Fleet Management to ensure the standardization of equipment and that provisions are in place to address maintenance requirements.

# 8.5 PIT Nameplate(s), Markings, and Operator's Manuals

Every truck shall have a durable, corrosion-resistant nameplate, legibly inscribed with the following information; truck model, serial number, truck weight and designation of compliance with the mandatory requirements of ASME B56.1, Safety Standard for Low and High Lift Trucks, applicable to the manufacturer and rated capacity.

Each PIT must have the operator's manual stored on the truck. Effort must be made to order manual's for older equipment not supplied with the manual.

# 8.6 Repair

Repairs on all powered industrial trucks will be conducted by the Fleet Management Department of FESS, or, as their agent, a qualified vendor working under the direction of the Fleet Management Department.

# 8.7 Acceptance Testing



FESHM 10120 September 2020

The FESS Fleet Management shall arrange for documented inspection and testing of a new powered industrial truck before placing in service or after extensive repairs to a damaged one are made. The owner shall be provided with copies of acceptance testing documentation.

#### 8.8 Control of Access to Powered Industrial Trucks

Means shall be provided to prevent forklifts, tow-motors, and other powered industrial trucks from use by unqualified personnel (e.g., restricting access, locking operating controls, removing ignition keys, posting each truck with a sign that states: "Trained Personnel Only" or other appropriate measures). This is the responsibility of the division/section/project that owns the equipment.

#### 8.9 Damage to Powered Industrial Trucks

When a powered industrial truck is damaged in an accident, it will be tagged and locked "out of service" by the division/section/project responsible for the truck. FESS Fleet Management shall be notified so the PIT can be inspected by the qualified subcontractor before allowing back into service. Owners will investigate and document incidents resulting in damage to a powered industrial truck. Do not return to service until repaired and, if applicable, until acceptance testing has been completed (See Acceptance Testing paragraph above).

## 9.0 PREVENTATIVE MAINTENANCE AND REPAIR PROGRAM

The Facility Engineering Services Section (FESS) will administer a maintenance and repair program for all powered industrial trucks owned by Fermilab divisions, sections and projects. This program will provide for semi-annual preventive inspections and maintenance for all equipment; and for any unforeseen maintenance and repair work necessary to keep the equipment in safe operating condition.

Frequency of preventive maintenance inspections, other than semi-annual, will be determined by the owner based on use.

These services shall be conducted by the Fleet Management Department or, as their agent, a qualified maintenance contractor determined by a "Request for Proposal (RFP) with Qualifications" to assure professional services. The program will be carried out in conjunction with the division/section/project head responsible for the equipment. The D/S/P Head is responsible for ensuring that all powered industrial trucks within their areas of responsibility are included in the program and shall establish and inform FESS of times of availability. The D/S/P Heads also must assure that work orders are approved after maintenance activities are complete. All costs for inspection, testing, and maintenance shall be the responsibility of the division/section/project that owns the equipment.

**Note:** Maintenance and repair of rental powered industrial trucks and associated equipment is the responsibility of the vendor as per contract documents unless the division/section/project administering the contract specifies otherwise.



#### 10.0 LOANING OF POWERED INDUSTRIAL TRUCKS

488 489

490

491

492

Loaning of a powered industrial truck to sub-contractor personnel must follow the requirements found in FESHM 7010. The owner of the PIT must fill out the Sub-Contractor Acceptance And Use Of Fermilab Tools/Equipment form found in FESHM 7010 Associated Forms List and verify that the operator meets the training requirements established in this chapter or the training requirements published in the Code of Federal Regulations.

493 494 495

# 11.0 DRIVING POWERED INDUSTRIAL TRUCKS ON FERMILAB MAIN **ROADS**

497 498 499

500

501

502

503

504

505

506

496

At times it may be necessary to drive a powered industrial truck on Fermilab roads. These are slow moving vehicles that may introduce a collision hazard because of their slow speeds. The owner of the truck shall request an escort from the security services to follow the truck to its destination. The security vehicle needs to have all security emergency lights and strobes ON. Another vehicle may provide escort if Security is not able to provide the service. The escort vehicle must have the emergency flashers ON. A powered industrial truck equipped with a rotating yellow light or yellow strobe light and an operating horn does not need an escort as long as the rotating yellow light or yellow strobe and the horn are in working condition and the lights turned ON. A powered industrial truck without a yellow strobe or rotating beacon requires an escort when transiting.

507 508

Escort duties are only required when transiting:

- 509 510
  - Wilson Road Pine Street
- 511
- 512 Batavia Road
- 513 Eola Road
- 514 Discovery Road (Road A)
  - Road B

516

515

# 517

# 518

519 520

521

522

## 12.0 REFERENCES

- 29 CFR 1910, Subpart N, OSHA General Industry Standards, Materials Handling and Storage
- 29 CFR 1926.602 (c), (d) Material Handling Equipment
- ASME B56.1 Safety Standard for Low Lift and High Lift Trucks
- DOE Hoisting and Rigging Standard

523 524





#### 13.0 TECHNICAL APPENDICES

525526527

#### 13.1 Material Lifts

This section applies to manual and powered material lifts, including, but not limited to, manual material lifts, electro-hydraulic material lifts, and load lifters.

529530531

528

#### 13.1.1. Training Requirements

532533

Department level on-the-job training is required to operate material lifts and must include a review of the manufacturer's operating instructions and safety precautions.

534535

## 13.1.2. Operation Expectations

536537

Operation of material lifts may only be by operators who have an understanding of the product, its operating characteristics, and safety operating instructions before use.

538539

## 13.1.3. Inspection, Maintenance, and Repair Requirements

540541

A visual inspection must be made before each use of a material lift by following the manufacturer's recommendations (e.g. cable frays or kinks, bends in the forks, legs or base, winch operating freely, and other damaged, loose, or missing parts).

542543544

Any signs of damage or defect must be reported to the area supervisor. The affected machine must be tagged out of service and FESS Fleet Management shall be contacted to coordinate repairs of the machine.

546547

545

## 13.1.4. Images of Material Lifts

548549



550 551

552

553